


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



NOTE:  
1. REF. AGUSTA T/N 895-3101-29-107

ASSY QTY	ASSY QTY	B/O	Part #	QTY.	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	TOOL ASSY, BEARING STAKING		RBW895-3101-25-101	1
			-3	1	TOOL ASSY, BEARING INSTL		RBW895-3101-26-101	1
			-5	1	TOOL ASSY, BEARING TEST		RBW895-3101-27-101	1
			-7	1	PLACARD	PLASTIC	1/16 X 4-1/2 X 6-1/2	2
		B/O	-9	1	TOP FOAM	Y-20 BLACK	3/4 X 5-3/4 X 8-1/4	3
		B/O	-11	1	BOTTOM FOAM	Y-20 BLACK	3 X 5-7/8 X 8-3/8	4
		B/O	-13	1	CASE	PLASTIC	PELICAN CASE #APP-1150-E	1
		B/O	-15	1	RED BARN PLACARD	ALUMINUM	RB41009	N/S
		B/O	-17	4	#2 DRIVE SCREW	COATED STEEL	1/8 MCMaster-CARR #90081A074	N/S


RED BARN MACHINE		
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL		
DWG NO. RBW895-3101-29-107		REV
MAT'L	DRAWN BY: SMITH	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>
.XXX ± .005	FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01	ANGLES ± 5°	FINISH
.X ± .1		SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		AW109, AW119
SCALE 1:3	DATE 9/4/2013	SHEET 1 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED

RBW895-3101-29-107

ITEM	P/N	DESCRIPTION	QTY
1	RBW895-3101-25-101	TOOL ASSY, BEARING STAKING	1
2	RBW895-3101-26-101	TOOL ASSY, BEARING INSTL	1
3	RBW895-3101-27-101	TOOL ASSY, BEARING TEST	1



4.50


R.13

6.50

(.06)



(-7)

PLACARD

 <b>RED BARN MACHINE</b>	
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO. RBW895-3101-29-107-7	REV
MAT'L PLASTIC	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:1	DATE 9/5/2013
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL






SECTION A-A

(-9)  
TOP FOAM

<b>RED BARN MACHINE</b>	
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO. RBW895-3101-29-107-9	REV
MAT'L Y-20 BLACK	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:2	DATE 9/5/2013
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



SECTION B-B

(-11)

BOTTOM FOAM

<b>RED BARN MACHINE</b>	
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO. RBW895-3101-29-107-11	REV
MAT'L Y-20 BLACK	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:2	DATE 9/5/2013
SHEET 4 OF 4	